



IR-1151 Dual Stream Sample Conditioner

TWO CLEAN SAMPLES, HIGH-PRESSURE SYSTEM FOR RUGGED ENVIRONMENTS

The IR-1151 Dual Stream Sample Conditioner is a high-pressure sampling system designed to remove particulates and condensed vapors from the emission that petroleum companies, refineries, and transfer station are federally and locally required to monitor. This state-of-the-art sample conditioner features a two-filter sample system that is complete with a pressure regulator, flow meter and calibration gas selector valve.

Capable of withstanding up to 3000 psi, the IR-1151 Dual Stream removes heavy debris, moisture, heavy vapors, and oils from a sample gas. Highly engineered with a secondary filtering system where pressure drops to as low as 3 psi, it removes the smallest of particles, keeping your gas contaminant-free.

A gas analyzer can be programmed to set the timing and duration of the two samples coming from the IR-1151 Dual Stream Sample Conditioner and the IR-1151 has the option of cycling between the two streams.

The IR-1151 Dual Stream is constructed of corrosive-resistant stainless steel materials. A panel is supplied for mounting both sampler system and gas analyzer. Panel dimensions are 27.5" H x 23" W (69cm x 58cm). This unit accurately delivers a sample to an Infrared Industries IR-8400D Gas Analyzer.

The IR-1151 Dual Stream incorporates the IR-1050 Centurion Explosion-Proof Pump. The IR-1050 Centurion Explosion-Proof Pump is used worldwide in hazardous atmospheres within the petroleum, refinery, chemical, utility, and pharmaceutical industries.

The Centurion is designed for exceptionally quiet operation and an extended, maintenance-free service life. Rugged, time-tested, and with a dependable diaphragm design, the Centurion uses no oil, graphite, or other contaminating lubricants that may come in contact with your sample stream.

The Centurion offers several optional wetted parts configurations to meet your most demanding and/or corrosive applications requirements. Infrared Industries comprehensive Centurion Explosion-Proof Pump classifications now include: UL (Class I, Div I group B, C, D), CSA, and ATEX (EExd IIC T4 IP65).

IR-1151 Dual Stream Sample Conditioner Features:

- Provides two clean, dry samples to the analyzer
- Explosion-proof pump for hazardous environments
- A pressure regulator with safety relief valve
- All stainless steel construction
- Filters moisture, dirt, heavy vapors, oils, and rusty water
 - A particulate filter and liquids trap with input valve and auto-drain
 - A second particulate filter and liquids trap with manual drain
- A gas selector valve for zero, span, and sample gases
- A flow indicator with valve for adjusting the sample flow

Company Overview

Infrared Industries has been a leading developer and producer of state-of-the-art gas analyzers instrumentation since 1969. The company is widely recognized for servicing the motor vehicle, industrial, utility, environmental, research and analytic, and petroleum industries with rugged, reliable, accurate and affordable analyzers. Their experience in time-tested gas analyzer equipment has expanded throughout the growth of this industry.

APPLICATIONS

- Petroleum
- Refineries
- Transfer stations
- Chemical
- Utility
- Pharmaceutical